

USM
Modular Furniture

USM Kitos



USM Kitos Tables make dynamic configurations possible. Any work style whether standing or sitting allows for maximum flexibility. A variety of table accessories allow for optimum customization in any environment.

Ergonomics

The USM Kitos E (electronic) and Kitos M (manual) height adjustment systems permit standing or sitting to meet the ergonomic needs of each individual user.

Stability

A slim and sophisticated design provides the USM Kitos table with superb stability and maximum leg room. Even at a height of 48 inches, the USM Kitos table system is extremely stable and meets relevant safety standards.

Flexibility

Multiple accessories make it possible to transform the tables to specific needs in a private office, meeting or conferencing environment.


Smart Wiring

An integrated cable management design keeps wires easily accessible but cleanly out of sight. To modify or update technology the cables can be easily accessed.

Longevity

Precision mechanics, high quality materials and intelligent design guarantees and extends the product's life cycle.

USM Kitos M Meeting



USM Kitos E (Electrical) Basic

Maximum functionality and captivating design - USM Kito E combines all requirements in one modern workplace with continuous height adjustment and maximum stability. Smart ergonomical design guarantees the greatest amount of leg and knee room, whether doing work sitting or standing. Even at its maximum height of 51" the table is extraordinarily stable. Barely visible, a cable tray is located below the tabletop. It can be easily accessed and flips down from back of the table or from above through an added grommet hatch in the tabletop.

Surface measurements

63"W/32"D
69"W/30"D
71"W/36"D

Height options

E1- 1 Column- Fixed height 29" *
E2- 2 Column- Height adjustable from 28" – 48"
E3- 3 Column- Height adjustable from 26" – 53" **

* Middle traverse is optional

** Available as a GS-certified version

Wire management

- Cable tray access from the front underneath the tabletop
- Optional grommet hatch



USM Kitos E Plus

Up to four accessories can be easily inserted into two adaptation points such as flat-screen swing arms, privacy panels, lamp pegs or USB connections. The integrated cable channels route and organize all electrical connections from the tabletop into the cable tray underneath the tabletop. To easily access any wires, the tabletop slides forward.

Surface measurements

63"W/32"D
69"W/30"D
71"W/36"D

Height options

E1- 1 Column- Fixed height 29" *
E2- 2 Column- Height adjustable from 28" – 48"
E3- 3 Column- Height adjustable from 26" – 53" **

* Middle traverse is optional

** Available as a GS-certified version

Wire management

- Two adaptation points for up to four accessories
- Cable tray access from above by sliding the tabletop
- Optional grommet hatch



USM Kitos E Advanced

In addition to two adaptation points the Kitos E Advanced table offers the ability to easily slide and fold the whole tabletop in one movement giving access to the spacious cable tray in order to change wiring, effortlessly and quickly. The cable tray contains and organizes power strips, adapters, USB and-network cables, transformers, charging devices etc. For daily access to the most important connections a grommet hatch can be added in the tabletop.

Surface measurements

63"W/32"D
69"W/30"D
71"W/36"D

Height options

E1- 1 Column- Fixed height 29" *
E2- 2 Column- Height adjustable from 28" – 48"
E3- 3 Column- Height adjustable from 26" – 53" **

* Middle traverse is optional
** Available as a GS-certified version

Wire Management

- Two adaptation points for up to four accessories
- Cable tray access from above by sliding and folding down the tabletop
- Optional grommet hatch



USM Kitos E Meeting

The Kitos E Meeting extra long and wide table design combined with electronic height adjustment provides for ideal conferencing conditions. Whether standing or sitting, the table combines freedom of movement with extraordinary stability and ergonomic performance at any height. A spacious cable tray is centered underneath the table and is accessible from all sides. Two optional grommet hatches can be added to the tabletop making on demand changes to wiring and network access even more convenient.

Surface measurements

89"W/39"D
99"W/39"D
99"W/49"D

Height options

E1- 1 Column- Fixed height 29" *
E2- 2 Column- Height adjustable from 28" – 48"
E3- 3 Column- Height adjustable from 26" – 53" **

* Middle traverse is optional
** Available as a GS-certified version

Wire Management

- Cable tray accessed from side below tabletop
- Optional grommet hatch



USM Kitos M (Mechanical) Basic

The Kitos M is the ideal solution for users who do not need any accessories but instead appreciate the simplicity of fast and effortless manual height adjustment. The retractable cable tray allows access to cables quickly and easily.

Surface measurements

63"W/32"D

69"W/30"D

71"W/36"D

Height Options

Height-adjustable from 28" – 48"

Available with optional height indicator.

Wire management

- Access from behind folding down the cable tray
- Optional grommet hatch



The height of the new USM Kitos M can be set to any desired value within the range 28 – 48 inches in a matter of seconds by the manually operated height-adjustment system, to meet the user's individual requirements. The patented mechanism works roughly 10 times faster than an electronic system, requires very little service and has a long life.



USM Kitos M Plus

Apart from the speedy height adjustment offered by the USM Kitos M, this version offers the added convenience to customize the table, by adding up to four accessories. Two adaptation points allow to connect a range of useful features, such as flat-screen supports or screen brackets, screen panels, adapters for table lamps or USB connections. Cable ducts integrated into the tabletop and a centered cable tray permit easy access while keeping cables cleanly out of sight.

Surface measurements

63"W/32"D

69"W/30"D

71"W/36"D

Height Options

Height-adjustable from 28" – 48"

Available with optional height indicator.

Wire management

- Two adaptation points for up to four accessories
- Cable tray access from above by sliding the tabletop
- Optional grommet hatch



USM Kitos M Meeting

Extra large table size combined with mechanical height adjustment create the ideal conditions for conferencing. A cable tray is mounted under the middle of the tabletop and can be accessed from below or optionally from above via two grommet hatches in the tabletop. USM Kitos M Meeting is the future-proof solution for sit to stand conferencing.

Surface measurements

89"W/40"D

99"W/40"D

Height Options

Height-adjustable from 28" – 48"

Available with optional height indicator.

Wire management

- Cable tray access from all sides underneath the tabletop
- Optional grommet hatch



Accessories

USM Kitos E / USM Kitos E Plus / USM Kitos E Advanced / USM Kitos E Meeting USM Kitos M / USM Kitos M Plus / USM Kitos M Meeting

1 Flat screen support

Screens are mounted onto the bracket (VESA standard), which can which are inserted directly into one of the adaptation points. Rotating and pivoting joint for the screen.

Options:

- 1a Mounting options at different heights for screens weighing up to 17 pounds.*
- 1b Continuous height-adjustment for screens weighing up to 26 pounds.

2 Flat screen support bar

The bracket is connected to the adaptation points, and the screens are fixed using an attachment panel (VESA standard). Screens can be mounted at different heights and can be adjusted with a pivoting ball joint.*

3 Grommet hatch

Flush with the table surface in three location options. Flips up to guide cables below the surface.

4 USB adapter

USB Adapter can be integrated in either of the adaptation points.*

5 Lamp peg

The peg can be installed in either adaptation points to hold a lamp in place or to support a task lamp with support bracket.*

6 Privacy Panels

Attaches to the front of the table frame.*

59"W/14"H or 28"H (30" + 30")
69"W/14"H or 28"H (30" + 10" + 30")

7 Link chain

Holds and directs cables to the power source. Flexible and adjustable to various lengths.

8 CPU holder

Mounts under the table frame. An adjustable strap ensures a secure fit for most standard CPUs.

9 Modesty panel

A black mesh fabric attaches to the front under the table surface.

Available in the following table lengths:
59"
63"
69"
71"

10 Cable tray


A cable tray integrated under the table-top offers storage room and attachment opportunities for all cables and technical components.

11 Material tray

Mounts and pivots out from under the table surface.

* Suitable for:
USM Kitos E Plus, USM Kitos M Plus and
USM Kitos E Advanced.

The following parts are available with
USM Kitos E Meeting and
USM Kitos M Meeting tables: No. 3, 7, 8, 9, 11.



Small tables are the ideal meeting place for brief conversation in break out and collaboration areas away from one's regular workspace.

Square or round free-standing USM Kitos tables with an energy-saving height-adjustment system are the ideal platform to gather for a quick meeting and the next moment can be transformed into a seated workstation.

These free-standing tables also offer added worksurface in a larger office.



USM Kitos E
Free-standing



Fixed height 29"
30"W/30"D
36"W/36"D

Height adjustable
28" - 44"
30"W/30"D
36"W/36"D



Fixed height 29"
36"
44"

Height adjustable
28" - 44"
36"
44"

USM Kitos

USM Kitos is a table system that meets all requirements for a modern work space, from a simple conference table to a complete workstation. Highly functional as a stand-alone table, it shows its real strength in combination. Its tilting tabletop also makes it ideally suitable to be used as a podium.

The Kitos Table is extremely stable, even at maximum height. It can be delivered with height-adjustment system and tilting tabletop, or these features can be built in later. The attractive design can be complemented with a wide range of functionality through the incorporation of practical accessories.

Surface measurements

36"W/30"D

59"W/30"D

69"W/30"D

71"W/36"D

Height options

Fixed 29"

Height adjustment 27" – 31" / 42"

Continuous height adjustment 28" – 48" *

Continuous height adjustment 27" – 51"

* Not available with glass or granite tabletops.

Wire management

– Optional grommet hatch accessed from below



USM Kitos Accessories

1 Universal support

Mounts to the table support or directly to the tabletop to hold various accessories.

2 Flat screen swing arm

The flat screen panel attaches to a universal plate (VESA standard) on the swing arm. Height-adjustable, rotating and pivoting swing arm. This can be mounted onto the tabletop or on the base support using the universal support (1).

3 Cable tray

Holds power strips (7) and cables; the cover can be recessed with two top openings. Expands the table depth to the EU standard over 800 mm.

Available in the following table lengths:

36"
39"
59"
69"
71"

4 Base Support

Metal privacy panels, cable trays and universal supports can be mounted on the base support.

5 USM Privacy Panels

Can be attached to the long side to ensure individuality and privacy for people working at tables configured as a group work station.

69"W/14"H or 28"H (30" + 10" + 30")
59"W/14"H or 28"H (30" + 30")

6 Link chain

Holds and directs cables to the power source. Flexible and adjustable to various lengths.

7 CPU holder

Mounts under the table frame. An adjustable strap ensures a secure fit for most standard CPUs.

8 Cable tray



























A cable tray integrated under the tabletop offers storage room and attachment opportunities for all cables and technical components.

9 Material tray

Mounts and rotates out from under the table surface.



Surfaces & colors

	Laminate	Powder-coated MDF	Linoleum	Lacquered wood veneer
	<p>Laminate surfaces are composed of a synthetic resin and are highly durable, as they are extremely resistant to wear, denting and scratching. A thin, black resin strip borders the table.</p>	<p>Composed of natural wood materials, the medium-density fiberboard (MDF) is finished with a thin powder coating for an overall protective seal. The result is a durable, scratch and impact resistant tabletop.</p>	<p>Linoleum has a leather-like quality created from an inlay of natural components and sustainable materials, including linseed oil and wood. It is also slightly elastic and has antistatic properties that help keep dust from settling on its surface.</p>	<p>The lacquered tabletops are treated with a water-based solvent creating a slightly glossy sheen, making the wood more resistant to scratches.</p>
Lead time 10–12 weeks	 <p>Pearl gray laminate</p>	 <p>Pure white RAL 9010</p>	 <p>Black linoleum</p>	 <p>Natural lacquered beech veneer</p>
Lead time 14–16 weeks	 <p>Pastel gray laminate</p>  <p>Light mid-gray laminate</p>  <p>Dark warm gray laminate</p>	 <p>Light gray RAL 7035</p>  <p>USM matte silver</p>  <p>Mid-gray RAL 7005</p>  <p>Anthracite RAL 7016</p>  <p>Graphite black RAL 9011</p>  <p>Steel blue RAL 5011</p>  <p>Gentian blue RAL 5010</p>  <p>USM green</p>  <p>Golden yellow RAL 1004</p>  <p>Pure orange RAL 2004</p>  <p>USM ruby red</p>  <p>USM brown</p>  <p>USM beige</p>	 <p>Ash linoleum</p>  <p>Charcoal linoleum</p>  <p>Pebble linoleum</p>  <p>Mauve linoleum</p>	 <p>Natural lacquered oak veneer</p>  <p>Black lacquered oak veneer</p>

Oiled wood veneer

The natural oiled table-tops are finished with a high-quality matte surface, which brings out the grain structure of the wood.



White oiled oak veneer



Natural oiled oak veneer



Brown oiled oak veneer



Natural oiled walnut veneer

Glass

Transparent glass: The 3/4" clear, float glass is finished with a polished surface.


Back painted clear glass: The 3/4" clear, float glass is finished with a polished surface.



Transparent glass



Pure white RAL 9010




Light gray RAL 7035




USM matte silver



Mid-gray RAL 7005



Anthracite RAL 7016



Graphite black RAL 9011



Steel blue RAL 5011



Gentian blue RAL 5010



USM green



Golden yellow RAL 1004



Pure orange RAL 2004



USM ruby red



USM brown



USM beige

Back painted etched glass (Acilux):


The 3/4" low iron, back painted glass is finished with a matte surface. A 1/16" bevelled edge borders all tables.



Graphite black RAL 9011



Pure white RAL 9010




Light gray RAL 7035



Mid-gray RAL 7005



Anthracite RAL 7016



Steel blue RAL 5011